

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S1	764	345/420.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/08 16:28
S2	83	(creat\$3 or mak\$3 or generat\$3) with (control adj2 mesh\$)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/06 16:48
S3	3	((creat\$3 or mak\$3 or generat\$3) with (control adj2 mesh\$)) same rectangul\$	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/06 16:47
S4	99	knot adj vector	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/06 18:13
S5	10	(knot adj vector) and (cubic adj3 spline)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/06 18:14
S6	0	bakenov-almaz\$.in.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/06 18:15
S7	4	sederberg-thomas\$.in.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/06 18:27
S8	151	(t adj2 spline) or "t-spline" or "t-splines"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/11 16:39
S9	8	"t-spline" or "t-splines"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/11 16:41

S10	67	(bi adj cubic adj2 spline)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/11 18:11
S11	8	S10 and ((divid\$3 or split\$4) with function)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/11 16:42
S12	1	S10 and ((divid\$3 or split\$4) with function with knot)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/11 16:42
S13	22	S10 and sharp\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/11 19:53
S14	70	(knot adj vector) and ("b-spline" or "b-splines")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/11 19:54
S15	28	(knot adj vector) and ("b-spline" or "b-splines") and (merg\$3 or join\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/11 19:58
S16	891	nurb\$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/11 19:56
S17	2	("5278948").PN.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/05/11 19:55
S18	54	nurb\$1 and (knot adj vector)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/11 20:05
S19	6	(knot adj vector) and ("b-spline" or "b-splines") and ((merg\$3 or join\$3) same mesh\$2)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/11 20:04

S20	1	(knot adj vector) and ("b-spline" or "b-splines") and ((merg\$3 or join\$3) same mesh\$2) and (additional with control with point)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/11 20:05
S21	1	(knot adj vector) and ("b-spline" or "b-splines") and ((merg\$3 or join\$3) same mesh\$2) and ((additional or add\$2) with control with point)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/11 20:05
S22	26	nurb\$1 and (knot adj vector) and (join\$3 or merg\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/11 20:26
S23	3	(knot adj interval) same (knot adj vector)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/11 20:29
S24	4	(knot adj interval) and (knot adj vector)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/13 13:00
S25	1	(zero adj knot) same sharp\$5	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/25 13:58
S26	4	("6037949" "6222553").pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/16 15:22
S27	0	S26 and (partial adj row)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/16 15:22
S28	2	S26 and (row)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/16 15:23
S29	26	(("bi-cubic" or (bi adj cubic)) with spline) and sharp\$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/17 15:12

S30	1	((zero adj knot) or ("0" adj knot)) same (sharp\$5 or creas\$)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/26 15:01
S31	768	knot same (sharp\$5 or creas\$)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/26 17:41
S32	768	knot same (sharp\$5 or creas\$)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/26 17:41
S33	27	S32 and spline\$	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/26 17:44
S34	1	shad\$3 with spline with mesh	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/26 17:44